

Fyfanon ULV®

This sheet answers some basic questions about a mosquito control product in use in Essex County. Essex County Mosquito Control, along with several other resources (listed at the end of this sheet), can provide more detailed information.

What is Fyfanon ULV® and how is it used?

Fyfanon ULV® is an organophosphate insecticide that has been used in the United States since the mid 50's. It is an adulticide that is recommended for mosquito control in New Jersey by the Agricultural Experiment Station of Rutgers University. It contains the active ingredients of “**malathion and piperonyl butoxide.**” The U.S. Environmental Protection Agency's (EPA) current evaluation considers **malathion and piperonyl butoxide**- containing products to be slightly toxic with minimal potential risk to people when used properly as part of a complete mosquito control program.

Fyfanon ULV® applications are made with Ultra Low Volume (ULV) equipment, which put out very small drops of the material at very low levels. While habitat management and measures to control immature mosquitoes in water are the preferred routine approaches, the spraying of adult mosquitoes is called for when biting populations reach critical levels or when a disease organism is present in adult mosquitoes. The application of **Fyfanon ULV®** will only be conducted if deemed absolutely necessary. A very fine mist is sprayed into the air since flying mosquitoes must directly contact the pesticide in order for it to be effective. **Fyfanon ULV®** is not residual and breaks down rapidly in sunlight, minimizing the buildup of this product in the environment.

How can I avoid exposure to Fyfanon ULV®?

Risk to the general public from the use of **Fyfanon ULV®** is minimal. Avoiding exposure is always the safest course of action, particularly for populations that may be at higher risk such as pregnant women, children, the elderly and those with chronic illness. Any possible exposure risk can be reduced by following some common sense actions:

- Pay attention to notices about spraying found through newspaper, websites, automated telephone messages or distributed by municipal, county or state agencies.
- Plan your activities to limit time spent outside during times of possible pesticide treatments.
- Move children's toys out of application areas.
- Move animals and their food and water dishes out of application areas.
- Stay away from application equipment, whether in use or not.
- Whenever possible, remain indoors with windows closed and with window air conditioners on non-vent (closed to the outside air) and window fans turned off during spraying.

- Avoid direct contact with surfaces that are still wet from pesticide spraying. Do not allow children to play in areas that have been sprayed until they have completely dried (approximately one hour).
- If you must remain outdoors, avoid eye and skin contact with the spray. If you get spray in your eyes or on your skin, immediately flush and rinse with water.

What are the symptoms of exposure to Fyfanon ULV®?

Irritation or sensitization sometimes occurs after exposure, causing an asthmatic condition or skin rash. The chance of experiencing these symptoms of exposure with proper use is low. You should contact your physician, other medical providers or the New Jersey Poison Information and Education System (NJPIES) at **1-800-222-1222** if you experience these symptoms following a pesticide spraying. Bring this sheet with you if you visit a physician or other medical provider.

How long will Fyfanon ULV® last in the environment?

The **Fyfanon ULV** spray stays in the air for a short time until it lands on surfaces. **Malathion** has a low persistence and lasts no longer than 25 days in water and soil. **Malathion** breaks down faster in sunlight.

Where can I get more information on Fyfanon ULV®?

The following are resources for more information regarding **Fyfanon ULV®** and mosquito control in your area (unless otherwise noted, available during normal business hours):

For overall pesticide-specific information – 9:30am to 7:30pm:

National Pesticide Information Center **800-858-7378**
<http://npic.orst.edu>

For pesticide health information & possible exposures – 24 hours:

New Jersey Poison Information & Education System **800-222-1222**
<http://www.njpies.org>

For New Jersey pesticide regulation & misuse complaints:

NJDEP Pesticide Control Program **609-984-6507**
<http://www.state.nj.us/dep/enforcement/pcp/>

For Federal pesticide regulations:

USEPA Region 2 Office of Pesticide Programs **732-321-6759**
<http://www.epa.gov/ebtpages/pesticides.html>

For state-wide mosquito control information:

NJDEP Office of Mosquito Control Coordination **609-292-3649**
<http://www.state.nj.us/dep/mosquito>

For local mosquito control information:

Essex County Mosquito Control

973-239-3366 x2480

<http://www.essex-countynj.org/index.php?section=dept/mo>

For mosquito control recommendations:

Rutgers University, Department of Entomology

732-932-9437

<http://www-rci.rutgers.edu/~insects>

For general information on the pesticide Fyfanon ULV® and malathion:

Extension Toxicology Network:

<http://npic.orst.edu/factsheets/malagen.pdf>

EPA:

<http://www.epa.gov/pesticides/health/mosquitoes/malathion4mosquitoes.htm>

Cheminova (Manufacturer)

http://www.cheminova.us.com/pages/specialty_products/fyfanon_ulv/index.html

Adapco (Distributor)

<http://www.myadapco.com/adulticides.php>